

Contents

1	Qualification	(21)
1.A	Official requirements	(23)
1.A.1	Legal aspects of qualification	(23)
1.A.2	Documentation of the qualification	(26)
1.A.3	Design Qualification (DQ)	(27)
1.A.4	Installation Qualification (IQ)	(30)
1.A.5	Operational Qualification (OQ)	(31)
1.A.6	Performance Qualification (PQ)	(32)
1.A.7	Qualification of established facilities	(33)
1.A.8	Requalification	(35)
1.B	Preparation of the qualification	(37)
1.B.1	Commissioning	(37)
1.B.2	Sequence	(41)
1.B.3	Qualification team	(42)
1.B.4	Responsibilities	(42)
1.B.5	Qualification by external service providers	(43)
1.B.5.1	<i>Integration of external capacities (“consultants”) into the qualification process</i>	(43)
1.B.5.2	<i>Transfer of parts of qualification activities to consulting engineers</i>	(43)
1.B.5.3	<i>Transfer of qualification activities to suppliers, acquisition of qualification packages</i>	(44)
1.B.6	Risk analysis	(46)
1.B.6.1	<i>Risk analysis during the life cycle of a facility</i>	(47)
1.B.6.2	<i>Organization of risk analysis</i>	(48)
1.B.6.3	<i>Implementation of the risk analysis</i>	(49)
1.C	Qualification documentation	(53)
1.C.1	Qualification master plan	(54)
1.C.2	Qualification plan	(55)
1.C.3	Qualification report	(61)
1.C.4	Labeling of the qualification status	(62)
1.C.5	SOP – “Qualification of facilities and equipment”	(63)
1.D	Design qualification (DQ)	(73)
1.D.1	User requirements (user specifications)	(75)
1.D.1.1	<i>Example: Reaction vessel</i>	(77)
1.D.1.2	<i>Example: Washer</i>	(80)
1.D.2	Technical specification	(84)

1.E	Installation qualification (IQ)	(89)
1.E.1	Examples of IQ plans	(91)
1.E.1.1	<i>Materials and lubricants</i>	(92)
1.E.1.2	<i>Supply of (energy and media) utilities</i>	(94)
1.E.1.3	<i>Measuring and control technology points and initial calibration</i>	(96)
1.E.1.4	<i>Calibration records</i>	(98)
1.E.1.5	<i>P & I diagrams</i>	(100)
1.E.1.6	<i>Pipes</i>	(102)
1.E.1.7	<i>Technical documentation</i>	(103)
1.E.1.8	<i>IQ report</i>	(103)
1.E.2	Example: Fluid bed equipment	(109)
1.F	Operational qualification(OQ)	(117)
1.F.1	Examples of OQ plans	(119)
1.F.1.1	<i>Safety devices</i>	(120)
1.F.1.2	<i>Risk analysis operating functions</i>	(122)
1.F.1.3	<i>Check for the presence of screw caps</i>	(124)
1.F.1.4	<i>OQ report</i>	(127)
1.F.2	Example: Fluid bed dryer	(129)
1.G	Performance qualification (PQ)	(135)
1.H	Special cases of qualification	(137)
1.H.1	Retrospective qualification	(137)
1.H.2	Requalification	(138)
1.H.3	Content of a review	(139)
1.H.4	Maintenance of the qualified status	(141)
1.H.5	Qualification of simple equipment	(143)
2	Process Validation	(145)
2.A	Official requirements	(147)
2.A.1	Regulative Aspects	(147)
2.A.1.1	<i>Legal requirements for drug products</i>	(147)
2.A.1.2	<i>Responsibilities</i>	(148)
2.A.1.3	<i>GMP Requirements</i>	(149)
2.A.1.4	<i>Aspects regarding marketing authorization</i>	(150)
2.A.2	Principles of process validation	(155)
2.A.2.1	<i>Process understanding</i>	(156)
2.A.2.2	<i>Type and scope of process validation</i>	(156)
2.A.2.3	<i>Traceability of validation investigations</i>	(158)
2.A.2.4	<i>Manufacturing under routine conditions</i>	(159)
2.A.2.5	<i>Bracketing (product group formation)</i>	(160)
2.A.2.6	<i>Challenge tests</i>	(160)
2.A.2.7	<i>Deviations</i>	(160)
2.A.3	Types of validation	(161)
2.A.3.1	<i>Prospective validation</i>	(161)

2.A.3.2	<i>Concurrent validation</i>	(162)
2.A.3.3	<i>Retrospective validation</i>	(164)
2.A.4	Revalidation	(165)
2.A.4.1	<i>Validation master plan</i>	(167)
2.A.4.2	<i>Validation protocol and report</i>	(167)
2.A.4.3	<i>Archiving</i>	(169)
2.A.5	Maintaining the validation status	(169)
2.A.5.1	<i>General conditions and prerequisites</i>	(169)
2.A.5.2	<i>Principles of statistical process control</i>	(170)
2.A.5.3	<i>Quality control cards</i>	(174)
2.A.5.4	<i>Process capability investigation</i>	(178)
2.B	Validation – a key element of quality assurance	(181)
2.C	Process validation approaches	(185)
2.C.1	Prospective validation	(185)
2.C.2	Retrospective validation	(186)
2.C.3	Concurrent validation	(189)
2.D	Revalidation	(191)
2.D.1	Time intervals for periodic revalidations	(192)
2.D.2	Incidences requiring revalidation	(192)
2.D.2.1	<i>Changes to the manufacturing instructions</i>	(192)
2.D.2.2	<i>Extension of the ranges of critical process parameters</i>	(195)
2.D.2.3	<i>Changes in manufacturing site</i>	(195)
2.D.2.4	<i>Serious quality problems</i>	(196)
2.E	Planning of process validation projects	(197)
2.E.1	Responsibilities and task assignment	(197)
2.E.2	Validation team	(200)
2.E.3	Timing of validation	(202)
2.E.4	Prerequisites for carrying out a validation project	(202)
2.E.4.1	<i>What action should be taken if not all prerequisites have yet been fulfilled?</i>	(207)
2.E.4.2	<i>Manufacture of a development or pilot batch in the run-up to a validation</i>	(208)
2.F	Validation master plan	(209)
2.F.1	Validation matrix	(212)
2.F.2	Example of a validation master plan	(214)
2.F.3	Example for a validation matrix	(225)
2.F.4	Example for a test plan	(232)
2.G	Risk analysis	(235)
2.G.1	Finding out the adequate extent of validation	(235)
2.G.2	Carrying out risk analysis	(235)
2.H	Validation protocol and report	(237)
2.H.1	Elements of the validation protocol	(237)
2.H.2	Content of a validation report	(245)

2.H.2.1	<i>How to deal with deviations from the requirements in the validation protocol</i>	(247)
2.H.2.2	<i>Archiving of the validation documents</i>	(247)
2.I	Quality by Design	(249)
2.I.1	Process development	(249)
2.I.2	Design space	(251)
2.I.3	Statistical Design of Experiments (DoE)	(255)
2.I.4	Multivariate Data Analysis (MVDA)	(257)
2.J	Process Analytical Technology (PAT)	(259)
2.J.1	Process-analytical measurements	(259)
2.J.2	Evaluation of the data	(261)
2.J.3	Possible applications	(262)
2.J.4	Implementations of PAT	(264)
2.J.5	Advantages of PAT implementation	(264)
2.J.6	PAT in the USA and Europe	(265)
3	Cleaning Validation	(267)
3.A	Official requirements	(269)
3.B	How to validate cleaning procedures	(275)
3.B.1	Optimization of cleaning procedures	(275)
3.B.2	Compilation of cleaning instructions	(279)
3.B.3	Validating manual and automated cleaning procedures	(282)
3.B.3.1	<i>Standardization and reproducibility of the process parameters</i>	(282)
3.B.3.2	<i>Compliance with process parameters</i>	(282)
3.B.3.3	<i>Training and qualification</i>	(283)
3.C	Cleaning validation master plan	(285)
3.D	Establishing the scope of validation	(291)
3.D.1	Bracketing: determination of critical substances	(291)
3.D.1.1	<i>Risk assessment – first step</i>	(292)
3.D.1.2	<i>Risk assessment – second step</i>	(293)
3.D.2	Matrixing: determination of equipment-specific validation protocols	(295)
3.E	Acceptance criteria and limit calculation	(299)
3.E.1	Calculation of active pharmaceutical ingredient residues	(299)
3.E.1.1	<i>Dose criterion</i>	(300)
3.E.1.2	<i>ppm criterion</i>	(301)
3.E.1.3	<i>Selection of the appropriate acceptance criteria</i>	(302)
3.E.1.4	<i>Calculation of the acceptable residue in a sample</i>	(303)
3.E.1.5	<i>Visual criterion (visually clean)</i>	(305)
3.E.2	Calculation of cleansing agent residues	(308)
3.E.3	Determination of the microbial status	(309)

3.F	Sampling procedures	(313)
3.F.1	Swab test	(313)
3.F.2	Rinse test	(316)
3.F.2.1	<i>Final Rinse</i>	(317)
3.F.2.2	<i>Solvent rinse</i>	(317)
3.F.3	Other procedures	(318)
3.F.3.1	<i>Steam condensate method</i>	(318)
3.F.3.2	<i>Placebo method</i>	(319)
3.F.4	Selection of the appropriate sampling procedure	(319)
3.F.4.1	<i>Design of the production equipment</i>	(319)
3.F.4.2	<i>Solubility of the residue to be detected</i>	(320)
3.F.4.3	<i>Analytical method</i>	(320)
3.F.5	Microbiological testing of surfaces	(321)
3.F.5.1	<i>Sampling material</i>	(321)
3.F.5.2	<i>Sampling locations</i>	(321)
3.F.5.3	<i>Implementation of the direct contact test</i>	(321)
3.F.5.4	<i>Other test methods</i>	(321)
3.G	Analytical procedures	(323)
3.G.1	Requirements for method validation	(323)
3.G.1.1	<i>Specificity</i>	(324)
3.G.1.2	<i>Sensitivity</i>	(325)
3.G.1.3	<i>Recovery</i>	(325)
3.G.2	Selection of the appropriate analytical procedure	(328)
3.G.2.1	<i>Active pharmaceutical ingredient residues</i>	(328)
3.G.2.2	<i>Cleansing agent residues</i>	(329)
3.H	Documentation	(333)
3.H.1	Validation protocol	(333)
3.H.2	Validation report	(337)
3.H.3	Other documents	(339)
3.I	Maintenance of the validated status	(343)
3.I.1	Changes and deviations	(344)
3.I.2	Change control	(345)
3.I.3	Revalidation	(346)
3.I.3.1	<i>Change-related revalidation</i>	(346)
3.I.3.2	<i>Periodic revalidation</i>	(349)
3.I.4	New products and equipment	(351)
3.I.4.1	<i>New products</i>	(351)
3.I.4.2	<i>New equipment</i>	(352)
3.I.5	Deviations	(354)
3.J	Cleaning validation documentation (example)	(359)

4	Computer Validation	(393)
4.A	Introduction and basic terminology	(395)
4.A.1	Introduction	(395)
4.A.2	Basic terminology	(396)
4.A.2.1	<i>Validation of computerised systems</i>	(396)
4.B	Regulatory aspects	(399)
4.B.1	Europe	(399)
4.B.2	PIC/S	(402)
4.B.3	USA	(402)
4.B.4	Electronic signature / Electronic records	(403)
4.B.5	GAMP® Good Automated Manufacturing Practice	(405)
4.C	Life cycle of software and systems	(407)
4.C.1	“V-Model”	(408)
4.C.2	Software development	(410)
4.C.3	Purchasing commercial of the shelf systems	(412)
4.C.4	Configuration and customisation	(413)
4.D	Risk analysis and system classification	(415)
4.D.1	GAMP® classification	(415)
4.D.1.1	<i>Class 1 – Infrastructure</i>	(416)
4.D.1.2	<i>Class 2 – Firmware</i>	(416)
4.D.1.3	<i>Class 3 – Standard software packages</i>	(416)
4.D.1.4	<i>Class 4 – Configurable standard software packages</i>	(417)
4.D.1.5	<i>Class 5 – Customer-specific software</i>	(417)
4.D.1.6	<i>Validation tasks depending on classification</i>	(417)
4.D.1.7	<i>Risk classification in accordance with GAMP®</i>	(420)
4.D.2	Risk indexes	(420)
4.D.2.1	<i>Determining the risk index</i>	(420)
4.D.2.2	<i>Measures that depend on the risk index</i>	(424)
4.D.3	Risk management at the level of user requirements	(428)
4.E	Validation of computerised systems	(429)
4.E.1	Responsibility and organisation	(429)
4.E.1.1	<i>Responsibilities</i>	(429)
4.E.1.2	<i>Organisation</i>	(429)
4.E.1.3	<i>Validation policy</i>	(431)
4.E.1.4	<i>Inventory of systems</i>	(431)
4.E.2	Validation plan	(432)
4.E.2.1	<i>System description</i>	(432)
4.E.2.2	<i>The validation process</i>	(432)
4.E.2.3	<i>Acceptance criteria</i>	(433)
4.E.2.4	<i>Planned deliverables</i>	(433)
4.E.3	Specifications (user requirements/technical specification) for hardware and software	(436)
4.E.4	Unit, integration and acceptance tests	(439)

4.E.4.1	<i>Test stages in the V model</i>	(440)
4.E.4.2	<i>Test method</i>	(442)
4.E.5	Documentation for validation (validation plan and report)	(445)
4.E.6	Data migration and start-up	(446)
4.E.7	Examples	(447)
4.E.7.1	<i>Example: Steam autoclave (low risk index)</i>	(447)
4.E.7.2	<i>Example: spreadsheet</i>	(449)
4.E.7.3	<i>Laboratory systems</i>	(461)
4.E.8	Dealing with existing systems (legacy systems)	(462)
4.E.8.1	<i>Analysis of the actual status</i>	(462)
4.E.8.2	<i>Experience report</i>	(464)
4.F	Operation of computerised systems	(465)
4.F.1	System description	(465)
4.F.2	User training	(465)
4.F.3	Standard operating procedures (SOPs)	(465)
4.F.4	Authorised access and security (virus protection)	(466)
4.F.4.1	<i>Authorised access</i>	(466)
4.F.4.2	<i>Security</i>	(467)
4.F.5	Data backup and archiving	(469)
4.F.5.1	<i>Data backup</i>	(469)
4.F.5.2	<i>Archiving</i>	(470)
4.F.6	Contingency plans and data recovery	(471)
4.F.7	Change management and error reporting	(472)
4.F.7.1	<i>Change management</i>	(472)
4.F.7.2	<i>Error reporting</i>	(473)
4.F.8	Periodic review	(474)
4.F.9	Retirement of computerised systems	(475)
4.G	External service providers	(477)
4.G.1	Relocation of activities (outsourcing, offshoring, nearshoring, backshoring)	(477)
4.G.2	Service level agreement	(478)
4.G.2.1	<i>Contents of a service level agreement</i>	(479)
4.G.2.2	<i>Example of a service level agreement</i>	(480)
4.G.3	Auditing of suppliers and service providers	(484)
Index		(489)

